

Start exploring

WHAT MAKES QUICK-STEP WOOD


SO UNIQUE? P. 4

STEP BY STEP TOWARDS CIRCULARITY P. 12

LET'S HELP YOU DECIDE P. 14

FAQ P. 108





Discover your new wood floor

COLLECTION OVERVIEW	P. 22
CALA	P. 24
CASCADA	P. 34
AMATO	P. 52
MASSIMO	P. 62
PALAZZO	P. 68
DISEGNO	P. 78
INTENSO	P. 86
COMPARE ACROSS COLLECTIONS	P. 90
TOOLS TO HELP YOU CHOOSE	P. 92
ACCESSORIES	P. 94

3





WOOD FOR LIFE

Thanks to our Wood for Life guarantee, your floor will stay looking beautiful. It ensures that the surface and joints are protected against dirt and spills, allowing it to easily maintain its natural look.



WATERPROOF

Don't worry about water! Our Cala, Cascada and Amato collections have a waterproof surface and are perfectly suited to every room of your home, including the kitchen, hallway and bathroom!



EASY INSTALLATION

Whether you do it yourself or get help from a professional, and whether your choice is floating or glued-down installation, it's as easy as 1-2-3! Our Uniclic (Multifit) system makes it easy to fully close the joints.

wood so unique?

Experience warm, authentic wood beneath your feet without compromising on durability, waterproofness or performance.



Guaranteed Wood for Life



EASY TO MAINTAIN
EXTREMELY DURABLE
SCRATCH & STAIN RESISTANT

WHAT DOES WOOD FOR LIFE MEAN TO YOU?

Life can be messy – from dirty shoes and muddy paws in the hallway, to red wine stains and spaghetti bolognese on the kitchen floor. Wood for Life protects your floor so that dirt, spills and dust don't get into the grain and joints.

In this way, Quick-Step wood is easy to maintain and extremely durable. Seven layers of protective lacquer ensure your floor is highly wear and tear and scratch resistant. With our Wood for Life guarantee, you can enjoy a floor that stays beautiful for years to come.

/// QUICK·STEP with Wood for Life



Easy-to-clean surface

Your floor will never look dirty or dark. Thanks to a unique coating system that covers the full surface, even in the deepest surface textures. Dirt won't stick to the wood!



Clean joints

Due to the protective coating we apply on the joints, we ensure they will stay clean. The treated joint prevents dirt and dust from penetrating in the wood and making the joints dirty and discoloured.


Competitor wood




Dirty surface



Dark joints







/// QUICK·STEP

Enjoy our new and improved click system, which makes it impossible for water to seep through the joints. On top of that, the Hydroseal water repellent coating on all four sides of the plank means that water can stay on your wood floor for up to 72 hours without causing damage.



COMPETITOR

Without our click system, you might not get a tight fit on all sides. Water can seep through the joints, creating mould or causing damage to your subfloor.

WHY CHOOSE QUICK-STEP WOOD FLOORING?

Easy installation





Whether you're installing your flooring yourself or you have a professional to do the job, you'll want flooring that can be laid quickly and easily. That's why Quick-Step wood has a Uniclic (Multifit) system to ensure your installation is a breeze.

Floating or glued-down installation? It's up to you. With the right underlay or glue and installation tools, your wooden floor can be installed in no time.

From installation to finishing and maintenance, we'll provide you with all the tools and products you need for your project.







SCAN AND SEE HOW TO INSTALL A WOOD FLOOR





STEP 1

Made from sustainably sourced wood



The core and backing of our planks are made of recovered wood or fast-growing trees which can be replaced quickly, so we don't contribute to deforestation. As for the beautiful top layer of our wooden planks, it is made from noble wood species, like oak. Because it grows slowly, it takes a long time to replace them. We source these trees from sustainably managed forests, and we harvest as few as possible. That's why we've made the top layer of our planks thinner, meaning we can preserve more of this precious natural resource.



STEP 2

Designed to last a lifetime

Our wood floors are guaranteed for life. Because making floors that last as long as possible is the most sustainable way forward. We ensure that our floors don't have to be thrown away after a few years: waterproof, scratch and stain resistant and easy to maintain thanks to our water based lacquered finish. They'll look as good as new for years and years to come. Which is good for the planet, and good for your home, too.

STEP :

A new life for your wood floor



We're proud to say that we were the first company in the world to develop a ground-breaking recycling technology: we can now turn the core of our wood flooring into new materials. Our goal is to replace 25% of the virgin wood fibers for our HDF core with recycled fibres by 2030. We're also working hard to develop take-back schemes for old floor planks. A floating installation makes recycling much easier. When the time comes, you can easily remove the floor, without causing any damage or mess.













Information sur le niveau d'émission de substances vol. dans l'air intérieur, présentant un risque de toxicité par inhala sur une échelle de classe allant de A+ (très faibles émissions (fintes émissions)

Let's help you decide When selecting the wood floor that matches your style and interior, it's important to consider four things – the colour, grading, surface treatment and plank size.

1. Colour

Colour is central to any interior, and your floor plays a big role in that, setting the tone for your entire home. Look for the colour that best reflects your style.

SOFT COLOURS



NATURE COLOURS



DARK COLOURS



TO SEE THE FULL COLOUR OVERVIEW, LEAF THROUGH OUR COLLECTIONS FROM PAGE 24 TO 89.

2. Grading

Looking at the character of the flooring and the amount of knots and cracks, we divide our floors into three grading classifications: Nature, Marquant and Vibrant.

KNOTS & CRACKS NATURE •0000

KNOTS & CRACKS **MARQUANT** $\bullet \bullet \bullet \circ \circ$



VIBRANT



3. Surface treatment

You'll want to enjoy your floor from the moment it's installed. That's why we pre-treat it with lacquer or oil.







OILED FINISH







WATERPROOF COLLECTIONS

4. Plank size

Each collection has unique dimensions. So, when selecting a floor, it's worth thinking about the size of the room you want to install it in. With different formats, from wide to narrow planks, there's something for everyone to love.

LET'S HELP YOU DECIDE

Choose the right colour

When it comes to the colour choice in your home flooring, you'll want it to reflect your personality, whether that's trendsetter or traditionalist. Our timeless flooring can be integrated into any interior design. As colours influence your mood and well-being, it's important to feel comfortable with your choice of flooring.

TO SEE THE FULL COLOUR OVERVIEW ON ONE PAGE, GO TO PAGE 90.



SCAN THIS QR CODE TO ORDER A SAMPLE OR VISIT YOUR NEAREST QUICK-STEP SHOWROOM TO ASK FOR ONE.

NOTE: Always keep in mind that a sample gives only an indication of the appearance of the floor. Due to the natural characteristics of a wooden floor, a sample will never be able to represent all colour variations, knots, and cracks.

SOFT COLOURS

For those who like effortless luxury in pale powder tones, our soft colour palette selects the best in colour and rich gradients, to give your home that zen feeling. A light wood grain adds soothing, harmonic tones to your home.

If you want to recreate the Minimaluxe trend, try paring back visual clutter to celebrate the things that lift you. Include tactile materials that elevate your home – bouclé, slubby linen and untreated wood.











NATURE COLOURS

If you love being surrounded by nature's beauty, our nature colour palette will give your home a harmonious, grounding effect. Earthy tones and organic hues infuse your room with a sense of calm.

For an on-trend nod to the past, combine textured and smooth materials, sunny shades and statement pieces. Incorporating vintage and retro elements into your home interior adds a sense of nostalgia and warmth.







DARK COLOURS


Our dark colour palette will instantly give your home a sense of sophistication and luxury. On darker surfaces all details become livelier. Deep, rich tones create a cosy, intimate ambience, perfect when you like to add depth and character to your living space.

If you're looking for an exclusive touch, try combining your dark floor with toned glass and cold metallics. Too dark for you? Add some lighter tones to balance your room to your liking or to highlight architectural details.










LET'S HELP YOU DECIDE

Grading differences

Our flooring is made from natural oak, which gives you that authentic look you're expecting. To provide a floor which suits everyone's specific taste, we highlight those distinctive knots and cracks.

We have divided our flooring into three different grading classifications: Nature, Marquant and Vibrant. Even though each plank is unique, you'll get an idea of how your floor might look when it is installed.







NATURE

Natural colour variation and small knots for a subtle look.

KNOTS & CRACKS

MARQUANT

Lively colour variation with more pronounced knots for a rustic look.

KNOTS & CRACKS

VIBRANT

Lively colour variation with big knots and cracks for a floor full of character.

KNOTS & CRACKS



VISUALISE YOUR CHOICE OF FLOORING IN YOUR INTERIOR WITH OUR ROOMVIEWER.

19

LET'S HELP YOU DECIDE

Surface treatment

You'll want to enjoy your floor from the moment it's installed. That's why we pre-treat it with lacquer or oil.

If you want to enjoy our Wood for Life guarantee or a waterproof wood floor, you can choose our lacquered finish as this gives the best protection against wear and tear, as well as dirt and spills.

In case you'd like to opt for a more traditional look, we also offer an oiled finish. Emphasising the authenticity of oak, you'll keep your oiled floor in top condition by applying a fresh coat every couple of years. It's important to note that oiled floors aren't waterproof and do not have the Wood for Life guarantee. Whatever the choice, your wood floor will look great.



(DEEP) BRUSHED

Through brushing, the natural grain structure of the wooden plank is accentuated, adding depth.



BEVEL

Bevels define each individual plank, creating the feeling of an authentic wood floor. Our collection features designs with 2 bevels on the longest sides or 4 bevels on all four sides of the plank.



(EXTRA) MATT LACQUERED FINISH

- Seven layers of protective lacquer.
- Highly scratch and wear resistant.
- Improved protective layer that keeps the surface and the joints of your floor clean, even after years of use, thanks to Wood for Life.








EXTRA MATT OILED FINISH

- Two layers of high-quality UV oil.
- Emphasises the authenticity of real wood.
- Can be renewed, restored and kept pristine for many years with Quick-Step cleaning and maintenance products.





Beauty comes in many sizes







WATERPROOF COLLECTIONS		WATERPROOF*	INSTALLATION	DIMENSIONS	вох	WARRANTY	DISCOVER THE COLLECTION
	CALA	ANTERPROOF	uniclic — * multifit — MATERIED TECHNOLOGY	2200 x 220 x 13 mm**	4 planks = 1.936 m ²	 ✓ LIFETIME WARRANTY DOMESTIC USE ✓ 15 YEAR WOOD FOR LIFE WARRANTY ✓ 15 YEAR WATER WARRANTY ✓ 5 YEAR COMMERCIAL WARRANTY 	p. 24
	CASCADA	ANTERPROOP	uniclic ** multifit ** MATENIED TECHNOLOGY	1820 x 190 x 13 mm**	6 planks = 2.075 m ²	 ✓ LIFETIME WARRANTY DOMESTIC USE ✓ 15 YEAR WOOD FOR LIFE WARRANTY ✓ 15 YEAR WATER WARRANTY ✓ 5 YEAR COMMERCIAL WARRANTY 	p. 34
	AMATO	ATTERPROD	uniclic ** multifit ** ATENEO TECHNOLOGY	1820 x 145 x 13 mm**	6 planks = 1.583 m ²	 ✓ LIFETIME WARRANTY DOMESTIC USE ✓ 15 YEAR WOOD FOR LIFE WARRANTY ✓ 15 YEAR WATER WARRANTY ✓ 5 YEAR COMMERCIAL WARRANTY 	p. 52
TRADITIONAL COLLECTIONS			INSTALLATION	DIMENSIONS	вох	WARRANTY	DISCOVER THE COLLECTION
	MASSIMO		uniclic multifit —	2200 x 260 x 13.5 mm**	4 planks = 2.288 m ²	 ✓ LIFETIME WARRANTY DOMESTIC USE ✓ 15 YEAR WOOD FOR LIFE WARRANTY ✓ 5 YEAR COMMERCIAL WARRANTY 	p. 62
	MASSIMO PALAZZO		multifit=_	2200 x 260 x 13.5 mm** 2200 x 190 x 13.5 mm**	4 planks = 2.288 m ² 6 planks = 2.508 m ²	15 YEAR WOOD FOR LIFE WARRANTY	p. 62 p. 68



All our floors are made from wood, with an oak top layer of 2.5 mm thickness.

Each pack can contain one plank which is split into two pieces. You can use these planks at the start or end of a row without the need to cut down a full plank making the installation faster and easier.

INTENSO

uniclic -

4 planks = 0.744 m^2

600 x 310 x 13 mm

✓ LIFETIME WARRANTY DOMESTIC USE
✓ 5 YEAR COMMERCIAL WARRANTY

p. 86

^{*} Tested according to ISO 4760:2022 (no leakage)

^{**} Wood naturally comes in many sizes and for this reason length can sometimes differ. We set a standard length per collection. If this length is temporarily unavailable, your retailer will offer you the alternative length instead. Depending on availability, you will receive planks measuring 1820 mm, 2200 mm or 2400 mm in length.

2200 x 220 x 13 mm* Box: 4 planks = 1.936 m²














Wintry forest oak extra matt CAL7445 MARQUANT

Pearl white oak extra matt CAL7448 MARQUANT

Leather oak extra matt CAL6029 NATURE







Pure oak extra matt CAL5611 MARQUANT

Natural oak extra matt CAL6032 NATURE

Sunrise oak extra matt CAL7449 MARQUANT







Dark chestnut oak extra matt CAL7447 VIBRANT

Cinnamon oak extra matt CAL7450 MARQUANT

COLOUR-MATCHED ACCESSORIES
See page 99

* Wood naturally comes in many sizes and for this reason length can sometimes differ. We set a standard length of 2200 mm for Cala. If this length is temporarily not available, your retailer will offer you the alternative length of 1820 mm instead. The product code will then end in -1820 (1.602 m2/box), for example CAL7445-1820.



Creating the idea of a sheltered bay, Cala is where elegance meets waterproofness. Elevate your space with Cala's captivating wide plank designs that merge stunning style and practical protection.



SCAN TO EXPLORE







Pearl white oak extra matt CAL7448

KNOTS & CRACKS

BEVEL

SURFACE TREATMENT

2200 x 220 x 13 mm













KNOTS & CRACKS

BEVEL

SURFACE TREATMENT

2200 x 220 x 13 mm





HED EXTR.

•0000







Natural oak extra matt CAL6032	KNOTS & CRACKS	BEVEL	SURFACE TREATMENT
2200 x 220 x 13 mm	NATURE O		DEEP BRUSHED EXTRA MATT LACQUERED + +









Cinnamon oak extra matt CAL7450

KNOTS & CRACKS

BEVEL

SURFACE TREATMENT

2200 x 220 x 13 mm

SURFACE TREATMENT

VIBRANT

Dark chestnut oak extra matt CAL7447







1820 x 190 x 13 mm* Box: 6 planks = 2.075 m^2













Wintry forest oak extra matt CASC3854 MARQUANT

Lily white oak extra matt NATURE

Pearl white oak extra matt CASC6030 MARQUANT







Desert oak extra matt CASC5111 VIBRANT

Leather oak extra matt CASC6029 NATURE

Natural oak extra matt CASC6032 NATURE







Light chestnut oak extra matt

Mustard oak extra matt CASC6031 VIBRANT

Toffee brown oak extra matt

CASC6034 NATURE

SCAN TO EXPLORE

CASC3888 NATURE

CASCADA

and finishes for any style.

This collection blends beauty and waterproof durability. Our waterproof design offers an unmatched resilience against

moisture. Cascada boasts a wide range of colours, structures

^{*} Wood naturally comes in many sizes and for this reason length can sometimes differ. We set a standard length of 1820 mm for Cascada. If this length is temporarily not available, your retailer will offer you the alternative length of 2200 mm instead. The product code will then end in -2200 (2.508 m2/box), for example CASC3854-2200.

 $1820 \times 190 \times 13 \text{ mm*}$ Box: 6 planks = 2.075 m²









White cappuccino oak extra matt CASC6033 MARQUANT



Light storm oak extra matt CASC5110 MARQUANT



Cotton grey oak extra matt CASC5112 VIBRANT



Brown vintage oak extra matt CASC5676 MARQUANT



Tobacco oak extra matt CASC5675 VIBRANT



COLOUR-MATCHED ACCESSORIES
See page 99



^{*} Wood naturally comes in many sizes, and, for this reason, length can sometimes differ. For Cascada, we set a standard length of 1820 mm. If this length is temporarily unavailable, your retailer will offer you an alternative length of 2200 mm instead. The product code will then end in -2200 (2.508 $\,\mathrm{m}^2/\mathrm{box}$), for example CASC3854-2200.







Pearl white oak extra matt CASC6030

KNOTS & CRACKS

BEVEL

SURFACE TREATMENT

1820 x 190 x 13 mm

SURFACE TREATMENT




2


EXTRA MATT LACQUERED +

















1820 x 190 x 13 mm







SURFACE TREATMENT

Natural oak extra matt CASC6032










Toffee brown oak extra matt CASC3888 KNOTS & CRACKS BEVEL SURFACE TREATMENT

NATURE

PRINCE

BRUSHED EXTRA MATT LACQUER

The stream of the str









Cotton grey oak extra matt CASC5112

KNOTS & CRACKS

BEVEL

SURFACE TREATMENT

1820 x 190 x 13 mm





EP BRUSHED

Light storm oak extra matt CASC5110







Brown vintage oak extra matt CASC5676

1820 x 190 x 13 mm

KNOTS & CRACKS

BEVEL

SURFACE TREATMENT

MARQUANT

O









1820 x 145 x 13 mm* Box: 6 planks = 1.583 m²
















Wintry forest oak extra matt AMT3854 MARQUANT

Leather oak extra matt AMT6029 NATURE

Pure oak extra matt AMT3100 MARQUANT







Natural oak extra matt AMT6032 NATURE

Sunrise oak extra matt AMT4003 MARQUANT

Dark chestnut oak extra matt AMT7446 VIBRANT





Cinnamon oak extra matt

COLOUR-MATCHED ACCESSORIES See page 99

AMATO

and hallways.

This collection is the most compact option for our 100% waterproof floors. Let Amato open up the narrower rooms

of your home with its sophistication and functionality. Resilient

against moisture, it's ideal for small areas such as bathrooms

AMT7444 MARQUANT

^{*} Wood naturally comes in many sizes and for this reason length can sometimes differ. We set a standard length of $1820\,\mathrm{mm}$ for Amato. If this length is temporarily not available, your retailer will $of fer you the alternative length of 2200 \, mm instead. The product code will then end in -2200 \, (1.914 \, m2/box), for example AMT3854-2200.$


















Pure oak extra matt AMT3100

KNOTS & CRACKS

BEVEL

SURFACE TREATMENT







Sunrise oak extra matt AMT4003

KNOTS & CRACKS

BEVEL

SURFACE TREATMENT

1820 x 145 x 13 mm

SURFACE TREATMENT









KNOTS & CRACKS







Dark chestnut oak extra matt AMT7446 KNOTS & CRACKS BEVEL SURFACE TREATMENT

1820 x 145 x 13 mm

REVEL SURFACE TREATMENT

| SUBRANT | SU



2200 x 260 x 13.5 mm* Box: 4 planks = 2.288 m^2












White daisy oak extra matt MAS5102S VIBRANT

Cappuccino blonde oak extra matt MAS3566S VIBRANT

Winter storm oak extra matt oiled MAS3563S VIBRANT







COLOUR-MATCHED ACCESSORIES See page 99

MASSIMO

Massimo embodies sheer luxury and authenticity, setting new standards with its unparalleled grandeur and extra-large dimensions. As our widest and longest wood plank, it promises to transform any space into a breathtaking showpiece.



* Wood naturally comes in many sizes and for this reason length can sometimes differ. We set a standard length of 2200 mm for Massimo. If this length is temporarily not available, your retailer $will offer you the alternative length of 2400 \,mm instead. The product code will then end in -2400 (2.496 \,m2/box), for example MASS102S-2400.$









Cappuccino blonde oak extra matt MAS3566S

KNOTS & CRACKS

BEVEL

SURFACE TREATMENT

2200 x 260 x 13.5 mm







White daisy oak extra matt MAS5102S

KNOTS & CRACKS

VIBRANT







Dark chocolate oak extra matt oiled $\,$ MAS3564S $\,$

KNOTS & CRACKS

BEVEL

SURFACE TREATMENT

2200 x 260 x 13.5 mm

SURFACE TREATMENT

• • • • •







2200 x 190 x 13.5 mm* Box: 6 planks = 2.508 m²









Almond white oak oiled PAL3014S MARQUANT

Refined oak extra matt PAL3095S NATURE

Pure oak extra matt PAL3100S MARQUANT







Natural heritage oak matt PAL1338S MARQUANT

Sunset oak extra matt PAL3893S VIBRANT

Cinnamon oak extra matt PAL3096S VIBRANT







Latte oak oiled PAL3885S VIBRANT

THE FULL COLLECTION

Midnight oak oiled PAL3889S VIBRANT

COLOUR-MATCHED ACCESSORIES See page 99

PALAZZO

Palazzo reimagines luxurious designs that exude warmth and character. With timeless elegance, this collection infuses

modern spaces with a sense of heritage and sophistication.

^{*} Wood naturally comes in many sizes and for this reason length can sometimes differ. We set a standard length of $2200 \, \text{mm}$ for Palazzo. If this length is temporarily not available, your retailer $will offer you the alternative length of 1820 \,mm instead. The product code will then end in -1820 (2.075 \,m2/box), for example PAL3014S-1820.$







Almond white oak oiled PAL3014S KNOTS & CRACKS BEVEL SURFACE TREATMENT

2200 x 190 x 13.5 mm BRUSHED EXTRA MATT OILED









Natural heritage oak matt PAL1338S

KNOTS & CRACKS

BEVEL

SURFACE TREATMENT

2200 x 190 x 13.5 mm





JSHED

MATT LACQUERED

••••

Pure oak extra matt PAL3100S







Cinnamon oak extra matt PAL3096S

KNOTS & CRACKS

BEVEL

SURFACE TREATMENT

2200 x 190 x 13.5 mm





EP BRUSHED

KNOTS & CRACKS

• • • • •

Sunset oak extra matt PAL3893S

2200 x 190 x 13.5 mm







Latte oak oiled PAL3885S KNOTS & CRACKS BEVEL SURFACE TREATMENT

2200 x 190 x 13.5 mm



DEEP BRUSHED






580 x 145 x 13.5 mm Box: 12 planks = 1.009 m²











Creamy oak extra matt DIS4856S NATURE

Gower oak matt DIS3201T MARQUANT

Pure light oak extra matt DIS51158 NATURE







Carbis oak extra matt DIS6434T MARQUANT

Cinnamon raw oak extra matt DIS4979S NATURE

Barra oak extra matt DIS6435T MARQUANT



COLOUR-MATCHED ACCESSORIES See page 99

DISEGNO

This collection embodies intricate design in each plank. A collection that seamlessly blends a classic feel with modern simplicity. Disegno can be installed in three attractive ways herringbone, double herringbone and tile design.










Creamy oak extra matt DIS4856S	KNOTS & CRACKS	BEVEL	SURFACE TREATMENT	
580 x 145 x 13.5 mm	NATURE O	4	BRUSHED EXTRA MATT LACQUE	RED









Pure light oak extra matt DIS5115S KNOTS & CRACKS BEVEL SURFACE TREATMENT


NATURE

S80 x 145 x 13.5 mm

BRUSHED EXTRA MATT LACQUERE

The second of the secon











Barra oak extra matt DIS6435T

KNOTS & CRACKS

BEVEL

SURFACE TREATMENT

580 x 145 x 13.5 mm

SURFACE TREATMENT

Cinnamon raw oak extra matt DIS4979S






DEEP BRUSHED EXTRA MATT LACQUERED

 $600 \times 310 \times 13 \text{ mm}$ Box: 4 planks = 0.744 m^2







Eclipse oak oiled INT3903 VIBRANT



Traditional oak oiled INT3902 VIBRANT



COLOUR-MATCHED ACCESSORIES See page 99

INTENSO

Intenso brings unrivalled, intense character to any space. Its distinctive charm lies in the fusion of reclaimed aesthetics and dynamic chevron patterns, creating a visually striking masterpiece. Our craftsmen give each plank an authentic look, marked by hand-sanded surfaces with thickness differences and gaps.



SCAN TO EXPLORE T







Eclipse oak oiled INT3903 KNOTS & CRACKS BEVEL SURFACE TREATMENT

VIBRANT

600 x 310 x 13 mm

KNOTS & CRACKS BEVEL SURFACE TREATMENT

VIBRANT

BRUSHED EXTRA MATT OILEE

CONTROLLED

CO



Compare colours, gradings and sizes across our collections

If you see a colour you like, and you want to know if it's available in another size or grading, this overview makes it easy to see the options available.

Please note, this colour overview only shows colours that are repeated throughout the collections. Other unique colours, ranging from light to very dark, are not shown here.


GRADING

VIBRANT


KNOTS & CRACKS NATURE \bullet MARQUANT


COLLECTIONS

WATERPROOF COLLECTIONS



TRADITIONAL COLLECTIONS





NATURE MARQUANT VIBRANT CAL7445 MAS5102S CASC3854 AMT3854




CAL6029 CAL5611 CASC5111 CASC6029 AMT3100 MAS3566S AMT6029 PAL3100S PAL3095S DIS5115S





DIS4856S





NATURE MARQUANT

CASC6030



OUR UNIQUE COLOURS




Tools to help you choose

FloorExplorer

With so many flooring options to choose from, making the right decision can be a challenge. Let our FloorExplorer guide you through a selection of floors that match your personal needs and style in just a few steps. Give it a try!



SCAN THE QR CODE TO ACCESS THE FLOOREXPLORER





Sample service

Curious to see what your floor of choice would look and feel like in reality? Do you want to find out if it matches your furniture, wall colour, art ...? Order a floor sample on our website and see for yourself.

Note: Always keep in mind that a sample gives only an indication of the appearance of the floor. Due to the natural characteristics of a wooden floor, a sample will never be able to represent all colour variations, knots and cracks.

GET INSPIRED AND FIND A DEALER

quickstep.com



Your dream home isn't finished when you pick your floor.

Creating your perfect interior means selecting the right accessories for your chosen floor.



INSTALLATION

All the tools you need for easy installation

(2

FINISHING

From skirtings to stairs, we have everything

3


MAINTENANCE

Keep your floor looking at its best with out cleaning products and specialised oils.

^^1.5611


Step 1: easy installation

Installing the right underlay has a major impact on the final quality and acoustics of your floor.



UNDERLAYS

When you opt for a floating installation, choosing the right underlay is essential. Besides creating a level base for your new floor, it also provides excellent acoustic insulation, and the built-in vapour barrier protects your floor against rising moisture.





Our Silent Walk underlay is composed of sustainable raw materials, including plant-based oils and mineral components such as chalk. We achieved a C2C Certified Material Health Certificate for this underlay, that's a globally recognized certification for products that are safe, circular and responsibly made.



Unisound QSUDLDRUCO15 Great all-round underlay for rooms

with frequent traffic, such as your Thickness: 2 mm living room, hallway and kitchen. Roll: 15 m²





Transitsound QSUDLTRS15

Thickness: 2 mm Roll: 15 m²




Thermolevel QSUDLTL9

Thickness: 5 mm Pack: 9 m²

All-round underlay for rooms with less traffic, such as your bedroom and home office.











Not compatible

Not compatible

Not compatible



GLUED-DOWN INSTALLATION

If you're going for a glued-down installation, use Quick-Step wood glue for the best result. A glued-down installation of your wood floor reduces footstep noise to a minimum, can be installed without using profiles and maximises the performance of floor heating systems.



Wood glue QSWGLUE16A 16 kg

This fast curing and ready to use wood glue is ideal for a glue-down installation of your wooden floor. Moreover, it maximises sound reduction and is resistant to humidity.



Wood trowel QSWB11

This high-quality trowel provides a perfect glue distribution and is indispensable for a professional glued-down installation.



Adhesive tape NETAPE50 Roll: 50 m

Attach tape to your underlay for a moisture-proof underlay installation.



Installation set **QSTOOLA**

Set with a tapping block to easily click planks together, a cramp iron for hard-to-reach places and spacers to provide perfect expansion joints (8 to 12 mm) between walls and floor.



COLOUR-MATCHED SKIRTINGS

- ✓ Perfectly matching colours: our skirtings and profiles flawlessly match the colour of every floor.
- ✓ Real veneer surface: an authentic wood experience across the entire room.
- \checkmark Quick-Step warranty: skirtings and profiles come with the same warranty as your floor.



Scotia QSWSCOT(-) 2400 x 17 x 17 mm

A discrete finish that matches the colour of your floor. Easy to install with One4All Glue. Also available in a white, paintable version (QSHSCOT19PAINT).



Water resistant scotia QSWSCOT(-)MM 2400 x 17 x 17 mm

For our waterproof collections. Use the Foamstrip and Hydrokit for a waterproof finish. Easy to install with One4All Glue.



Wood skirting QSWPPSKR(-) 2400 x 16 x 80 mm

Skirting with space to hide cables. Easy to install with One4All Glue or Track. Also available in a white, paintable version (QSWPPSKRPAINT).



Water resistant wood skirting QSWPPSKR(-)MM 2400 x 16 x 80 mm

For our waterproof collections. Use the Foamstrip and Hydrokit for a waterproof finish. Easy to install with One4All Glue or a Track to hide cables.

INSTALLATION TOOLS FOR SKIRTINGS



One4All Glue QSGLUE290 290 ml

Multi-purpose glue that ensures adhesion to all materials and substrates. Average usage: 1 tube for $15\ m$ of skirtings.



Track
NETRACK
2400 x 27 x 8 mm

Designed for installation of wood skirtings. Secure the track to the wall with screws or the One4All Glue before clicking the skirtings into place.



PAINTABLE SKIRTINGS

Next to our perfectly matching accessories, we also offer white and paintable skirtings. So you can paint your skirtings in a colour that suits your style, in the same colour as your walls, or simply leave it classic white.



Paintable scotia QSSCOTPAINT 2400 x 17 x 17 mm

Paintable scotia that can be left white as well. Easy to install with One4All Glue. Not suitable for damp rooms - check out our range of waterproof skirtings.



Paintable wood skirting QSWPPSKRPAINT 2400 x 16 x 80 mm

Paintable skirting with space to hide cables. Easy to install with One4All Glue or Track. Not suitable for damp rooms - check out our range of waterproof skirtings.



QSISKRCOVER 2400 x 16 x 129 mm

Paintable cover skirting Paintable skirting to put over an existing one - ideal for renovations. Adjustable to 4 heights between 68 and 129 mm. Can be left white as well. Easy to install with One4All Glue. Not suitable for damp rooms - check out our range of waterproof skirtings.



Paintable ovolo skirting QSISKRWHITE


2400 x 16 x 160 mm

Paintable ogee skirting

2400 x 16 x 160 mm

QSISKROGEE

Paintable skirting that can be used in two shapes for more decorative freedom. Adjustable to 5 heights between 25 and 134 mm - use the supplied Incizo knife. Can be left white as well. Easy to install with One4All Glue. Not suitable for damp rooms - check out our range of waterproof skirtings.











SHAPE 2



QSPSKR4PAINT 2400 x 14 x 40 mm

Paintable small skirting Paintable skirting that can be left white as well. Also available in a flexible version (QSFLEXSKR) to finish your entire space in the same style. Easy to install with One4All Glue. Not suitable for damp rooms - check out our range of waterproof skirtings.

WATERPROOF PAINTABLE SKIRTINGS



Waterproof paintable QSHSCOT19PAINT 2400 x 19 x 19 mm

Paintable, 100%-recyclable polystyrene scotia that can be left white as well. Use the Foamstrip and Hydrokit for a waterproof finish in damp rooms. Easy to install with One4All Glue.



Waterproof paintable skirting - large QSHSK80PAINT 2400 x 15 x 80 mm

Large, paintable, 100%-recyclable polystyrene skirting that can be left white as well. Use the Foamstrip and Hydrokit for a waterproof finish in damp rooms. Easy to install with One4All Glue.



Waterproof paintable flexible skirting QSFLEXSKR 7000 x 14 x 40 mm

Flexible, paintable skirting made of foamed PVC that can be cut to your desired length. Ideal to finish pillars or curved walls. Use the Foamstrip and Hydrokit for a waterproof finish in damp rooms. Easy to install with contact glue.

COLOUR-MATCHED PROFILES



Incizo profile QSWINCP(-) 2150 x 54 x 17 mm Multifunctional and patented finishing tool to finish your floor and stairs in matching colours. Simply cut the Incizo basic profile to the desired shape with the supplied Incizo knife.

Contains 1 Incizo profile, 1 Incizo knife and 1 plastic rail.

APPLICATION 1

Connect two floors of different heights.



APPLICATION 2

Connect two floors of the same height.



APPLICATION 3

Finish your floor along walls or windows.



APPLICATION 4

Create a nice transition between your wood floor and other flooring types.





The Incizo profile also allows you to finish your stairs and steps in

the flooring design of your choice. For this application, you need



Incizo aluminium subprofile for stairs NEWINCPBASE(-)

2150 x 70 x 18.5 mm



APPLICATION 5
Finish your stairs and steps.





FINISHING TOOLS



Coloured kit QSKIT(-)

310 ml

This elastic, acrylic-based paste is the ideal solution to fill joints between skirtings and walls. Available in matching colours. Average usage: 1 tube for 15 m.



Pipe covers
QSPCINOX18/QSPCINOX22

2 pcs/pack

Stainless steel covers to nicely finish pipes and heating elements. Available in inside diameter sizes 18 and 22 mm. Do not glue the covers to the floor, but install them floating.





FINISHING TOOLS

Follow the steps to create a complete room that's ready to take on the splashes and spills of daily life, from giving your pet a well-needed bath, to the mess from an over-enthusiastic helper in the kitchen!

Install your underlay

Choose the underlay that's most suitable for your project on page 97.



Install your waterproof floor

Provide an expansion joint (8 to 12 mm) between walls and floor.



Add Foamstrip

Install a Foamstrip between the wall and your floor.



NEFOAMSTRIP20 20000 x Ø 10 mm







QSKITTRANSP

Install your colour-matched skirting

Place the water resistant skirtings and wrap up.



Time to enjoy your brand-new floor!

CLEANING



Cleaning product QSCLEANECO1000 QSCLEANECO2000

1 L

2 L



Spot cleaner **QSSPOTCLEAN**

250 ml

Specially developed for Quick-Step floors, our biodegradable Floor cleaner thoroughly cleanses your flooring and protects the surface, keeping it looking like new. What's more, it's a sustainable choice so you'll be doing your bit for the environment as well as protecting your floors.

Our spot cleaner has been expertly developed for Quick-Step floors. Use our Spot cleaner to remove even the most persistent stains such as permanent marker, paint or red wine, as well as kitchen spills, and more.

Mop holder with refillable water tank and handy lever to easily moisten and mop your floor. Also includes a washable microfibre mop and 1 L of Quick-Step Cleaning product. A sustainable choice

to clean your floor.



Cleaning mop QSSPRAYMOP

Cleaning kit

QSSPRAYKIT

Microfibre mop washable up to 60 °C. Compatible with the Quick-Step Cleaning kit.

REPAIR



Repair kit **QSREPAIR** Kit to easily repair light damage and recreate the original colour on your floor. Find detailed instructions at quickstep.com.

FOR OILED FLOORS ONLY



Oil care **QSWOILCLEAN**

Protects your oiled wood floor by preventing it from drying out and losing its gloss.



Maintenance oil QSWMAINTOILN / QSWMAINTOILW Transparent/white oil that protects the matt finish of your oiled wood floor and repairs minor damage. Use once a year (or more depending on the wear of your floor). Average usage: 1 L for $75\ m^2$. Consult your dealer to pick the right maintenance oil for your floor.

Quick-Step cleaning products give you efficient, fast cleaning that's ecologically sound and won't damage your flooring.

ACCESSORIES FOR YOUR WOOD FLOOR

Step 3: worry-free maintenance

We've got the answers to all your questions

1. What's the difference between a floating and glued-down installation?

Quick-Step wood floors can be installed in two ways: glued-down or floating. For glued-down installation, we recommend Quick-Step wood Glue, which has been specifically developed for use on Quick-Step wood floors. A floating installation requires no glue, but the use of a Quick-Step underlay. In combination with underfloor heating, a glued-down installation works best, whereas a floating installation is easier to achieve. The choice is yours!

2. Can I have a wood floor in combination with underfloor heating/cooling?

Yes, you can! Underfloor heating contributes to the warm feeling of a wood floor, but if you live in a warmer climate, a wood floor can also be used with underfloor cooling. If you're installing underfloor heating/cooling, a glued-down floor will give you the best results in terms of heating efficiency. Going for a floating installation? You'll have to use a Quick-Step Silent Walk underlay. This underlay ensures optimal heat flow from your underfloor heating/cooling that rises to the surface.

Check out our special "Floor Heating Installation Instructions" on our website for further detailed guidelines.

3. Do I really need expansion joints?

It's important to have the necessary expansion joints along all walls and fixed obstacles to ensure that your floor has enough room to expand or contract according to changes in humidity. If the room is more or less square and if there aren't considerable indoor climate changes, you can lay a surface of up to 20 m long and 20 m wide without extra expansion joints in the floor surface. With dimensions greater than 20 m or widths of more than 20 m, there should be an intermediate expansion joint. For detailed information, check the installation instructions on our website.

If you go for a floating installation, it is also necessary to place expansion joints under the doors between rooms to separate the rooms. With a glued-down installation, that's not necessary.

4. Should I go for lacquer or oil?

LACQUER

A coat of lacquer applied to the surface of the wood closes the pores. If you opt for extra matt lacquer, your wood floor will have the soft look of oiled wood. Lacquered Quick-Step wood has up to seven layers of UV-cured, water-based lacquer. That's how we make maintenance easier for you and protect your floor against wear, scratches and stains.


OIL

Oiling your wood floor means impregnating it – the oil seeps into the pores, protecting the wood from the inside and giving it a natural-looking feel. Oiled Quick-Step wood has an extra matt and authentic look, and ages beautifully, thanks to the two layers of modified oil. Micro-scratches can be easily removed with maintenance oil, plus our floors are easy to maintain. But watch out – dirt and stains can penetrate oiled wood if not properly maintained. And it sustains scratches more easily than lacquered wood. That's why you should always give your wood floor the maintenance it deserves.

5. In which direction should I install my floor?

GUIDED BY THE LIGHT

The direction in which you lay your floor will have a huge impact on the overall appearance of a room. As a general rule, you should lay your floor in the same direction as the main light source in a room and in line with the most frequently used entrance. If there are several doors and windows, then opt for the direction that's the easiest to install in.



IN SMALL ROOMS

If you're laying your floor in a small room, you'll want to add a sense of depth. Make a room seem larger by installing your floor lengthwise. Want to increase the effect of the lengthwise installation even further? Then combine a light-coloured floor with darker walls, which will add even more depth to your room.

IN NARROW ROOMS

In a narrow room, why not lay your floor parallel to the shortest wall? Planks laid widthwise will make a surface appear wider, avoiding a boxed-in feeling. To enhance this further, avoid dark colours for your floor or walls, as these will make the room seem even narrower.





6. In which rooms can I install a wood floor?

The Quick-Step Cala, Cascada and Amato collections are suitable for all rooms – even your bathroom and kitchen, thanks to our waterproof technology. In rooms that are not exposed to water, any of our other collections can be installed. Because our wood is pretreated with oil or lacquer, it will look like new for years to come.



8. How do I install a wood floor?

You or your professional installer can install Quick-Step wood in two ways: floating or glued-down. The choice is yours!

Whatever you choose, thanks to our Uniclic (Multifit) system, quick installation is guaranteed. When using underfloor heating/cooling, we advise a glued-down option for optimal heat flow.

To finish off, add some style with skirtings and profiles that match the colour of your floor. Or how about paintable skirtings? Browse through our accessories on page 99.

MASTER INSTALLERS AT YOUR SERVICE

Opt for professional installation by an accredited Quick-Step Master Installer, or go to your retailer for detailed help about your project. Master installers are trained at the Quick-Step Academy, the most exclusive training centre in the flooring industry

- Get the best end result with expert underlay selection and subfloor preparation.
- Make your floor stand out with advice on the correct installation direction.
- Enjoy a perfect finish: meticulously fitted skirtings, profiles and staircases.
- Expert quality at the right price.
- A lifetime warranty* after registration of the installation.

If there's no master installer in your area, stop by your local retailer for questions about installation.

* The lifetime warranty lasts as long as the product warranty.



More info on quickstep.com





7. What plank size should I use for my floor?

A simple rule is to use a large format for large rooms, which will emphasise the space. For small or irregularly shaped rooms, narrow formats will match the proportions of the room better.

Do you want to make the most of a smaller room? The herringbone pattern, a timeless and contemporary choice for any home, can work wonders in small spaces. Its unique design creates the illusion of more space, making it a stylish and practical option for flooring.







THE NUMBER ONE CHOICE FOR BEAUTY AND PERFORMANCE

QUICK-STEP WOOD



quickstep.com

a brand of **SUNILIN**

Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. Content © 2024 - 2025 by Unilin BV, division Flooring. All rights reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.

024 210 01 - Z2 - UK EN Coverphoto: CASC3888

FOLLOW US ON





STEP BY STEP TOWARDS CIRCULARITY













